

Message

---

**From:** Shewmake, Kenneth [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=5031C1ABFE8847809A448EF4899DE65C-SHEWMAKE, KENNETH]  
**Sent:** 11/14/2019 9:51:02 PM  
**To:** Reategui-Zirena,Evelyn (DSHS) [Evelyn.Reategui-Zirena@dshs.texas.gov]  
**Subject:** RE: Lane Plating Phase 1 RI DSTM, Rev 01

Do you want TCEQ and risk assessors? It is short notice if yes but I could ask.

---

**From:** Reategui-Zirena,Evelyn (DSHS) <Evelyn.Reategui-Zirena@dshs.texas.gov>  
**Sent:** Thursday, November 14, 2019 3:33 PM  
**To:** Shewmake, Kenneth <shewmake.kenneth@epa.gov>  
**Subject:** RE: Lane Plating Phase 1 RI DSTM, Rev 01

Kenneth,

This is related to the new sampling plan. Jessica Price, Kiet Nguyen and I are covering for Jessica Kessinger so it'd be the 3 of us. Yes, please! Could you please set up a conference call for 10 AM? We'd really appreciate it.

Thank you  
Evelyn

Evelyn G. Reategui-Zirena, PhD  
Toxicologist  
Health Assessment & Toxicology Program  
Department of State Health Services  
Austin, TX 78714

---

**From:** Shewmake, Kenneth <shewmake.kenneth@epa.gov>  
**Sent:** Thursday, November 14, 2019 3:24 PM  
**To:** Reategui-Zirena,Evelyn (DSHS) <Evelyn.Reategui-Zirena@dshs.texas.gov>  
**Subject:** RE: Lane Plating Phase 1 RI DSTM, Rev 01

I am working from home, but yes we can do a call. Is this for the CAG or the review of the new sampling plan? You got both documents but the CAG only got the draft data report. I am also planning on going to the CAG meeting Monday. Do you want me to set up a conference call? I can give you my cell number if it is just you. I do not want to give my personal number to the CAG. Let me know.

Kenneth Shewmake  
US EPA, Remedial Project Manager  
(214) 665-3198

---

**From:** Reategui-Zirena,Evelyn (DSHS) <Evelyn.Reategui-Zirena@dshs.texas.gov>  
**Sent:** Thursday, November 14, 2019 2:48 PM

**To:** Shewmake, Kenneth <[shewmake.kenneth@epa.gov](mailto:shewmake.kenneth@epa.gov)>

**Subject:** RE: Lane Plating Phase 1 RI DSTM, Rev 01

Hi Kenneth,

We have a couple of questions regarding Lane Plating sampling, do you think you have some time tomorrow for a quick call?

Thank you  
Evelyn

---

**From:** Shewmake, Kenneth <[shewmake.kenneth@epa.gov](mailto:shewmake.kenneth@epa.gov)>

**Sent:** Tuesday, November 12, 2019 11:15 AM

**To:** Scott Settemeyer <[scott.settemeyer@tceq.texas.gov](mailto:scott.settemeyer@tceq.texas.gov)>; Kessinger, Jessica (DSHS) <[Jessica.Kessinger@dshs.texas.gov](mailto:Jessica.Kessinger@dshs.texas.gov)>; 'Johnson, Bret' <[jonathan.johnson@dallascityhall.com](mailto:jonathan.johnson@dallascityhall.com)>; Reategui-Zirena, Evelyn (DSHS) <[Evelyn.Reategui-Zirena@dshs.texas.gov](mailto:Evelyn.Reategui-Zirena@dshs.texas.gov)>

**Cc:** Rauscher, Jon <[Rauscher.Jon@epa.gov](mailto:Rauscher.Jon@epa.gov)>; Tsui-Bowen, Alethea <[Tsui-Bowen.Alethea@epa.gov](mailto:Tsui-Bowen.Alethea@epa.gov)>; Hidalgo, Chelsea <[Hidalgo.Chelsea@epa.gov](mailto:Hidalgo.Chelsea@epa.gov)>

**Subject:** Lane Plating Phase 1 RI DSTM, Rev 01

**WARNING:** This email is from outside the HHS system. Do not click on links or attachments unless you expect them from the sender and know the content is safe.

Lane Plating Team,

The revised Lane Plating Phase 1 RI Data Summary is attached. We will post this on the Lane Plating website after the CAG has had a chance to review it. I am not looking for a review and comments, but I would appreciate it if you could do a quick look at the revisions and let me know if your comments were addressed. I will probably release this to the public early next week.

Kenneth Shewmake  
Remedial Project Manager  
US Environmental Protection Agency, Region 6  
Superfund and Emergency Management Division (SEDRA)

1201 Elm Street, Suite 500  
Dallas, TX 75270  
[shewmake.kenneth@epa.gov](mailto:shewmake.kenneth@epa.gov)  
work phone- (214) 665-3198